



# MATERIAL SAFETY DATA SHEET

## 1. COMPANY AND PRODUCT IDENTIFICATION

**DUNCAN ENTERPRISES**  
5673 East Shields Avenue  
Fresno, CA 93727  
559-291-4444  
559-291-9444 (Fax)

### EMERGENCY TELEPHONE NUMBERS

Health Emergency: 559-291-4444 7:00 am – 3:30 pm  
Pacific Standard Time  
Spill and Off-Hour  
Health Emergencies: 800-424-9300 U.S. and Canada  
703-527-3887 Outside U.S. and  
Canada (Collect)

**Product Name: DUNCAN TRANSLUCENT STAINS TS 500 SERIES**

**Product Description:** Oil – Based Stains

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

The ingredients in this formulation are a trade secret. All ingredients in the formula are non-hazardous, unless specified in Sections 3 and 15.

## 3. HAZARDS IDENTIFICATION

### HMIS Hazard Ratings for Product

Health:	1*	0 = Minimal
Flammability:	1	1 = Slight
Reactivity:	0	2 = Moderate
Personal Protection:	See Section 8	3 = Serious
		4 = Severe
		* = Chronic Effects

<u>Ingredient</u>	<u>% Conc. / Wt.</u>	<u>CAS Number</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Aliphatic Petroleum Distillates	< 10.0	64742 – 47 – 8	5 mg/m <sup>3</sup> TWA	5 mg/m <sup>3</sup> TWA
Octylphenoxypoly – Ethoxyethanol	< 2.70	9036 – 19 - 5		
Cobalt Carboxylate	< 0.05	Trade Secret – NJTSR No. 56705700001 – 5697P		
Manganese Compound	< 0.04	Trade Secret – NJTSR No. 56705700001 – 5680P		
Zirconium Compound	< 0.20	Trade Secret – NJTSR No. 56705700001 – 5074P		
Solvent	< 0.04	Trade Secret – NJTSR No. 56705700001 – 5127P		
2 – Ethylhexanoic Acid	< 0.04	000149 – 57 – 5		
Mineral Spirits	< 0.20	008052 – 41 – 3		

## 4. FIRST AID MEASURES

**Eye Contact:** Flush eyes with large amounts of water until irritation subsides. Consult a physician if irritation persists.

**Skin Contact:** Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.

**Inhalation:** Move subject to fresh air.

**Ingestion:** If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

## Duncan Enterprises Material Safety Data Sheet – Translucent Stains TS 500 Series

### 5. FIRE FIGHTING MEASURES

<b>Autoignition Temperature:</b>	Unknown
<b>Flash Point:</b>	Not Applicable
<b>Upper Explosive Limit (%):</b>	Not Applicable
<b>Lower Explosive Limit (%):</b>	Not Applicable
<b>Extinguisher Media:</b>	CO <sub>2</sub> , Dry Chemical, Foam – Use extinguishing media appropriate for surrounding fire
<b>Special Firefighting Procedures:</b>	Not Applicable
<b>Fire &amp; Explosion Hazards:</b>	Not Applicable
<b>NFPA Flammability Hazard Class:</b>	1 = slight

### 6. ACCIDENTAL RELEASE MEASURES

**Spill or Leak Procedures:** Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway.

For safety and environmental precautions, please review entire Material Safety Data Sheet for necessary information.

### 7. HANDLING AND STORAGE

<b>Storage Temperature:</b>	40° - 100°F
<b>Handling / Storage:</b>	Protect from freezing; keep container sealed when not in use
<b>Ventilation Requirements:</b>	General

### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

<b>Conditions Under Which Personal Protective Equipment Required:</b>	Normal work conditions, maintenance / repair.
<b>Eye Protection Requirements:</b>	Wear safety glasses with side shields.
<b>Glove Requirements:</b>	Solvent resistant gloves recommended to prevent skin irritation
<b>Clothing Requirements:</b>	Protective clothing is normally not necessary for foreseeable conditions of use.
<b>Change / Removal of Clothing:</b>	None required
<b>Wash Requirements:</b>	Use warm soapy water to remove from skin
<b>Respirator Requirements:</b>	None required under normal handling conditions.
<b>Ventilation Requirements:</b>	General

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Pure Material or Mixture:</b>	Mixture
<b>Physical Form:</b>	Viscous liquid
<b>Appearance / Physical Description:</b>	Colored viscous liquid; petroleum odor
<b>Odor Threshold:</b>	Not Available
<b>pH:</b>	7.5 – 8.5
<b>Boiling Point:</b>	> 200°F
<b>Melting / Freezing Point:</b>	< 32°F
<b>Solubility in Water:</b>	Miscible
<b>Partition Coefficient (n-octanol/water):</b>	Not Applicable
<b>Specific Gravity (Water = 1):</b>	1.08 – 1.24
<b>Bulk Density:</b>	9.0 – 10.4 lb / gal

## Duncan Enterprises Material Safety Data Sheet – Translucent Stains TS 500 Series

### 9. PHYSICAL AND CHEMICAL PROPERTIES (Continued)

<b>Volatiles:</b>	45 - 60% / wt
<b>Evaporation Rate (Water = 1):</b>	1
<b>Vapor Pressure:</b>	17.5 mm Hg @ 20°C (68°F)
<b>Vapor Density (Air = 1):</b>	0.62
<b>Volatile Organic Compounds:</b>	104 g / l
<b>Autoignition Temperature:</b>	Unknown
<b>Flash Point:</b>	Not Applicable
<b>Oxidizing Properties:</b>	Not Applicable

### 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable
<b>Incompatibilities:</b>	Materials that react with water.
<b>NFPA Reactivity Hazard Class:</b>	0 = Insignificant
<b>Hazardous Decomposition Products:</b>	Carbon monoxide, carbon dioxide, aldehydes, Various hydrocarbons
<b>Hazardous Polymerization:</b>	Will not occur.

### 11. TOXICOLOGICAL INFORMATION

#### Acute (Short – Term) Effects of Exposure

<b>Route of Entry</b>	
<b>Acute Effects – Eye:</b>	Can cause eye irritation
<b>Acute Effects – Skin Contact:</b>	Can cause skin irritation
<b>Acute Effects – Inhalation:</b>	Small quantities not likely to cause irritation; large amounts may be harmful.
<b>Acute Effects – Ingestion:</b>	Small quantities not likely to cause irritation; large amounts may be harmful.

#### Chronic (Long – Term) Effects of Exposure

<b>Chronic Effects – Skin:</b>	Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying, cracking of skin, and skin burns.
<b>Target Organs:</b>	Repeated and prolonged exposure to petroleum distillates can cause kidney damage
<b>Carcinogenicity</b>	None

### 12. ECOLOGICAL INFORMATION

Octylphenoxypolyethoxyethanol, present at below 2.7% in the formulation, is a known marine pollutant.

### 13. DISPOSAL CONSIDERATIONS

<b>Waste Disposal Methods:</b>	Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.
<b>Empty Container Warnings:</b>	Empty containers may contain product residue; follow MSDS and label warnings even after they have been emptied.

## 14. TRANSPORT INFORMATION

### U.S. Department of Transportation Information

**DOT Shipping Name:** Paints or Stains 149980 Sub. 2  
**DOT Hazard Class:** Non-hazardous  
**DOT Reportable Quantity:** None

### United Nations Information

**U.N. Number:** None  
**U.N. Class:** None

## 15. REGULATORY INFORMATION

**TSCA:** All components are on the TSCA Inventory  
**FDA:** 21CFR175.105  
**SARA/Title III:** This product contains no substances at or above the reported threshold under Section 313, based on available data.



Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).

## 16. OTHER INFORMATION

### Table of Abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ANSI</b>	American National Standards Institute
<b>ASTM</b>	American Society for Testing Materials
<b>°C</b>	Degrees Centigrade
<b>CAS</b>	Chemical Abstract Service
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>CPR</b>	Controlled Products Regulations
<b>DOT</b>	Department of Transportation
<b>EPA</b>	Environmental Protection Agency
<b>°F</b>	Degrees Fahrenheit
<b>FDA</b>	Food & Drug Administration
<b>g / l</b>	Grams per liter
<b>Hg</b>	Mercury
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LD</b>	Lethal Dose
<b>mg / kg</b>	Milligram per kilogram
<b>mm</b>	Millimeter
<b>MSDS</b>	Material Safety Data Sheet
<b>MSHA</b>	Mine Safety and Health Administration
<b>N / A</b>	Not Applicable
<b>NFPA</b>	National Fire Protection Association

**16. OTHER INFORMATION (Continued)**

**Table of Abbreviations (Continued)**

<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>ppm</b>	Parts per million
<b>SARA</b>	Superfund Amendment and Reauthorization Act
<b>STEL</b>	Short-Term Exposure Limit
<b>TSCA</b>	Toxic Substances Control Act
<b>TWA</b>	Time - Weighted Average
<b>U.N.</b>	United Nations
<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>&gt;</b>	Greater Than
<b>&lt;</b>	Less Than

**Creation Date:** 01/97  
**Revision Date:** 05/19/05  
**Technical Contact:** Frank Peters  
R&D Chemist  
Duncan Enterprises  
5673 East Shields Avenue  
Fresno, CA 93727  
559-291-4444  
559-291-9444 (Fax)

**Disclaimer**

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.